





REVISIONS		
REV.	DESCRIPTION	DATE
0	INITIAL RELEASE:	08/05/13
1	CHANGED GLASS TO AG	10/23/13
2	Removed Gloss for Film/Film Product.	11/07/13
3	Added AG (NON-GLARE) LOW SPARKLE GLASS	01/08/14

- GENERAL NOTES:
- MAX. VOLTAGE:  
3 V p-p
  - OPERATION TEMPERATURE:  
-10° TO 60°C
  - HUMIDITY:  
< 40% 20% to 95% RH NO CONDENSATION.
  - STORAGE TEMPERATURE:  
-20°C TO 70°C
  - FFC BEND R > 2.0MM  
NO SHARP CREASE
  - TP CONTROLLER INFO:  
USB - PART #1005-0070  
CABLE - PART # TBD
  - OPTICAL PER.  
84% TRANSPARENCY  
PER JIS K7361-1



Key Matrix



<b>CAD DRAWING</b> <b>NOTICE</b> <small>THIS DRAWING EMBODIES A PROPRIETARY DESIGN ORIGINATED BY GUNZE ELECTRONICS USA CORPORATION AND SHALL NOT BE DISCLOSED, USED, OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES, UNLESS SPECIFICALLY AUTHORIZED BY GUNZE ELECTRONICS USA CORPORATION. ALL PATENT RIGHTS RELATING HERETO ARE EXPRESSLY RESERVED FOR GUNZE ELECTRONICS USA CORPORATION.</small> <small>This notice shall be marked on any reproduction hereof in whole or part.</small>	<b>DEC. TOLERANCES:</b> .XXX = ±0.012 [.XX] = ±[0.30] <small>ANGULAR TOL. = ±1°          FRAC. TOL. XX = ±1/16</small>	<b>DESIGNER:</b> VTRINH 08/05/13 <small>CHKD:</small> <b>DESIGN ENG:</b> LHRUIZ 08/05/13 <small>VIEWPOINT:</small>	<p>Gunze Electronics USA Corporation 2113 Wells Branch Parkway Austin, Texas 78728</p> <p><b>TITLE:</b> Cover Glass AG LOW SPARKLE 10.4D, 28x46; P-CAP ATMEL</p> <p><b>PART NO.:</b> 170-3973</p> <p><b>CUSTOMER ID:</b> GUNZE USA</p>
	<b>DIM CODE:</b> INCHES (MILLIMETERS) <b>CUSTOMER #:</b> <b>MATERIAL SPEC.:</b>	<b>SCALE:</b> 2 : 1 <b>REVISION:</b> 0	