

Planar PXL2430MW

24" Touch Screen Monitor

The Planar® PXL2430MW 24" LED dual-touch LCD monitor is designed to take advantage of the features of Microsoft Windows® 7. The monitor features an optical dual-touch screen and USB touch screen interface and is optimized for consumer multimedia, education, and computer labs and classroom applications.



SPECIFICATION	DETAIL
Product Name	PXL2430MW
Planar Part Number	997-6399-00
Viewable Size	23.6" diagonal (20.52" horizontal x 11.54" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	170° Horizontal and 160° Vertical
Response Time (typ)	5 ms
Brightness (Typical)	250 cd/m ²
Display Type	Edge-Lit LED LCD
Display Resolution	1920 x 1080
Tilt Range	0° to +20°
Palette	16.7 million colors
Pixel Pitch	0.272 mm
Refresh Rate	56-75 Hz (60 Hz recommended)
Dimensions (W x H x D)	21.9" x 15.5" x 4.3" (555.8 mm x 393.6 mm x 108.0 mm)
Dimensions without Stand	21.9" x 13.7" x 2.2" (555.8 mm x 346.8 mm x 56.1 mm)
Display Weight	With Stand: 12.6 lbs (5.7 kg) (net), Without Stand: 11.4 lbs (5.2 kg) (net), 16 lbs (7.3 kg) (shipping)
Video Inputs	Analog, DVI-D, HDMI (HDMI cable not included)
Audio Output	2W
External Connections	D-sub 15-pin, DVI-D 24-pin, HDMI 19-pin, USB-B, Audio Port

Compatibility	Windows® 7
Power Supply	Internal
Power Consumption (max)	35W
Power Requirements	100-240 VAC, 50/60 Hz
VESA Compatible/Location	Built-in 100 mm VESA, Back of monitor
Product Approvals	UL/cUL, FCC-B, CE, RoHS
Service and Support	3-Year Customer First™ Warranty featuring FREE 2-Day Advance Replacement (US only)
Options / Features	Optical Touch technology, multi -touch capability, compatible with Microsoft Windows® 7 operating system, HID compliant - no drivers needed for touchscreen operation. Includes a built in stylus.
In the Box	PXL2430MW 23.6" Multi-Touch LED Monitor, Power Cord, VGA Cable, DVI Cable, USB Cable, Audio-In Cable, User's Guide
CI-Black-PN	997-6399-00
UPC	8 10689 06399 5